

Camera/Recorder Compatibility

	Function	WV- X6531NJ/X6511NJ X6531NS	WV- SFV781L/SPV781L	WV-SUD638	WV-S1132/S1131	WV-S1531LN/S1531LTN S1531LNS	WV-S2131L/ S2131/S2130	WV-S2231	WV-S2531LN/S2531LTN	WV- SPN611/SPN631	WV- SPW631LT/SPW631L	WV- SFN611L/SFN631L/ SFV611L/SFV631L/ SFV631LT	WV- SPW611L/SPW611	WV- SPN531/SPN531A
WJ-NX400 (V2.10) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	-	-	yes	yes	yes	yes	yes	yes	yes	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	yes	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX300 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	-	-	yes	yes	yes	yes	yes	yes	yes	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	yes	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX200 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	-	-	yes	yes	yes	yes	yes	yes	yes	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	yes	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV300 (V1.90) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	no	-	-	no	no	no	no	no	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	yes	-	yes	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V2.60) *14	MJPEG	[SW598]	-	[SW598]	[SPN631]	[SPW631]	[SFN631]	[SPW631]	[SPW631]	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	[SW598]*21*22	-	[SW598]	[SPN631]*22	[SPW631]*22	[SFN631]*22	[SPW631]*22	[SPW631]*22	yes*12	yes*12	yes*12	yes*12	yes*12
	H.265	no	-	-	no	no	no	no	no	-	-	-	-	-
	Audio *8	[SW598]	-	[SW598]	[SPN631]	[SPW631]	[SFN631]	[SPW631]	[SPW631]	yes	yes	yes	yes	yes
	PTZ	[SW598]	-	[SW598]	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	[SW598]	-	[SW598]	[SPN631]	[SPW631]	[SFN631]	[SPW631]	[SPW631]	yes	yes	yes	yes	yes	
WJ-ND400K (V5.70) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes	yes*15,*19	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	no	-	-	no	no	no	no	no	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	yes	-	yes	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SC385]*2	-	[SC385]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	[SC385]	-	[SC385]	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SC385]*2	-	[SC385]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2	[SP305]*2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SC385]	-	[SC385]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]
	PTZ	[SC385]	-	[SC385]	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.

*1 : Only for remote PTZ cameras.

*2 : Support less than 1920x1080, including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.

*3 : Each recorder supports only wireline connection.

*4 : Displaying 16:9 is not supported on a NDR browser.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726 and 32kbps.

*11 : This function is supported only when playing back.

*12 : Supported up to 30 ips

*13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.

*14 : Streams of H.264(3) and H.264(4) are not supported

*15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.

*17 : The fish-eye dewarp function on the main monitor is supported.

*18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).

*19 : Supported maximum bitrate is 14Mbps.

*20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras

*21 : Support less than 1280x720 for WV-X6511N

*22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

Camera/Recorder Compatibility

	Function	WW-SPW532L	WW-SPW531AL	WW-SFN531/SFR531/SFV531	WW-SW598/SW598A/SC588/SC588A	WW-S6530N	WW-S6131/S6111/S6130	WW-SW559/SF549/SF539	WW-SW558/SF548/SF538	WW-SP509	WW-SP508	WW-NW502S/NP502	WW-SM501/SMS201L	WW-S4150
WJ-NX400 (V2.10) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	no	no	no
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	yes	yes	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	yes	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX300 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	no	no	no
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	yes	yes	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	yes	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NX200 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	no	no	no
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	yes	yes	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	yes	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV300 (V1.90) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	no	no	no
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	no	no	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	yes	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-NV200 (V2.60) *14	MJPEG	yes	yes	yes	yes	[SW598]	[SW598]	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	yes	yes	yes
	H.264	yes*12	yes*12	yes*12	yes	[SW598]*21*22	[SW598]*21*22	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	no	no	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	[SW598]	[SW598]	yes	-	yes	-	yes	-	yes
	PTZ	-	-	-	-	[SW598]	[SW598]	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	[SW598]	[SW598]	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND400K (V5.70) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	yes	yes	yes
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	no	no	-	-	-	-	-	-	-
	Audio *8	-	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	yes	yes	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SP305]*2	[SP305]*2	[SF335]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SF335]*2	[SP102]*2	[SP305]*2	[SP102]*2	yes*2	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	yes	yes	yes
	H.264	-	-	-	-	-	-	-	-	-	-	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	[SC385]	[SC385]	[SC385]	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SP305]*2	[SP305]*2	[SF335]*2	[SC385]*2	[SC385]*2	[SC385]*2	[SF335]*2	[SF335]*2	[SP305]*2	[SP305]*2	yes*2	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	yes	yes	yes
	H.264	-	-	-	-	-	-	-	-	-	-	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	-	[SP305]	[SF335]	[SC385]	[SC385]	[SC385]	[SF335]	-	[SP305]	-	yes	yes	yes
	PTZ	-	-	-	[SC385]	[SC385]	[SC385]	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080, including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 6fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 fps
 *13 : When using WW-SFV481/WW-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WW-ASM200, WW-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WW-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

Camera/Recorder Compatibility

	Function	WW-SFV481/SFN480 *7	WW-SM458/SW458MA/ SF438/SF448E *7	WW-S1112/S1111	WW-S1511LN	WW-S2111L/S21110	WW-S2311	WW-S2511LN	WW-SPN310/SPN311/ SPN310A/SPN311A	WW-SPW312L	WW-SPW311AL	WW-SPW311LH	WW-SFN311/SFN311A/ SFR310/SFR310A/SFN311L/ SFR311/SFR311A/SFR310/ SFR310A/SFV311/SFV311A/ SFV310/SFV310A	WW-SW397/SW397A/ SW397B
WJ-NX400 (V2.10) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes *17,*18,*19	yes *17,*18	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	yes	yes	yes	yes	yes	-	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes
	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX300 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes *17,*18,*19	yes *17,*18	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	yes	yes	yes	yes	yes	-	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes	yes
	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX200 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes *17,*18,*19	yes *17,*18	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	yes	yes	yes	yes	yes	-	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	-	-	yes	yes	yes	yes
	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV300 (V1.90) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes *17,*18,*19	yes *17,*18	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	no	no	no	no	no	-	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
	PTZ	yes	yes	-	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV200 (V2.60) *14	MJPEG	no *13	yes	[SPN631]	[SPW631]	[SFN631]	[SFV631]	[SFW631]	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	no *13	yes	[SPN631]*22	[SPW631]*22	[SFN631]*22	[SFV631]*22	[SFW631]*22	yes *12	yes *12	yes *12	yes *12	yes *12	yes
	H.265	-	-	no	no	no	no	no	-	-	-	-	-	-
	Audio *8	no *13	yes	[SPN631]	[SPW631]	[SFN631]	[SFV631]	[SFW631]	yes	-	yes	yes	yes	yes
	PTZ	-	yes	-	-	-	-	-	-	-	-	-	-	yes
Motion detection (VMD)	no *13	yes	[SPN631]	[SPW631]	[SFN631]	[SFV631]	[SFW631]	yes	yes	yes	yes	yes	yes	
WJ-ND400K (V5.70) *14	MJPEG	yes *15	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	yes *15,*18,*19	yes *18	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	no	no	no	no	no	-	-	-	-	-	-
	Audio *8	yes *15	yes	yes	yes	yes	yes	yes	yes	-	yes	yes	yes	yes
	PTZ	yes *15	yes	-	-	-	-	-	-	-	-	-	-	yes
Motion detection (VMD)	yes *15	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	-	-	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	-	[SP305] *2	[SP305] *2	[SP305] *2	[SP305]	[SF335] *2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	[SC385]
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	-	-	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305] *2	[SP305]	[SP305]	[SF335] *2
	MPEG4	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8 *11	-	-	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SP305]	[SF335]
	PTZ	-	-	-	-	-	-	-	-	-	-	-	-	[SC385]
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model]: Register as a substitute model.
 *1: Only for remote PTZ cameras.
 *2: Support less than 1920x1080, including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3: Each recorder supports only wireline connection.
 *4: Displaying 16:9 is not supported on a NDR browser.
 *7: Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8: Supported G.726 and 32kbps.
 *11: This function is supported only when playing back.
 *12: Supported up to 30 ips
 *13: When using WW-SFV481/WW-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14: Streams of H.264(3) and H.264(4) are not supported.
 *15: When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17: The fish-eye dewarp function on the main monitor is supported.
 *18: The fish-eye dewarp function is supported by using the management software(WW-ASM200, WW-ASC970).
 *19: Supported maximum bitrate is 14Mbps.
 *20: 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21: Support less than 1280x720 for WW-X6511N
 *22: Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

Camera/Recorder Compatibility

	Function	WW-SC387/SC387A	WW-SW396/SW395/ SC386/SC384	WW-SC385	WW-SW355/SW352/ SF346/SF342	WW- SF330 series SP300 series	WW-SW316L/SW316	WW-SW314	WW-SFV130(M)/ SFV110(M)	WW- SFN130/SFN110	WW- SW158/SF138	WW- SW155/SW155MA/ SW152/SW115	WW- SF135/SF132	WW- SP105/SP102
WJ-NX400 (V2.10) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	no	no	no	no	no	no	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NX300 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	no	no	no	no	no	no	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV200 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	no	no	no	no	no	no	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV300 (V1.90) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	no	no	no	no	no	no	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-NV200 (V2.60) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-ND400K (V5.70) *14	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	yes	yes	yes	yes	yes	yes	-	-	-	-	-	
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	
	Audio *8	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
Motion detection (VMD)	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SC385]	[SC385]	yes	[SF335]	yes	[SP305]	[SP102]	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]	[SP102]	yes
	MPEG4	-	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]	-	-	-	-	-	yes
	H.264	-	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]	-	-	-	[SF335]	[SF335]	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio	-	-	-	-	-	-	-	-	-	-	-	-	-
	PTZ	[SC385]	[SC385]	yes	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SC385]	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]	[SF335]*2	[SF335]*2	[SF335]*2	[SF335]	[SF335]	yes
	MPEG4	-	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]	-	-	-	-	-	-
	H.264	-	[SC385]	yes	[SF335]	yes	[SP305]	[SP305]	-	-	-	[SF335]	[SF335]	yes
	H.265	-	-	-	-	-	-	-	-	-	-	-	-	-
	Audio *8*11	[SC385]	[SC385]	yes	[SF335]	yes	[SP305]	-	[SF335]	[SF335]	[SF335]	-	-	-
	PTZ	[SC385]	[SC385]	yes	-	-	-	-	-	-	-	-	-	-
Motion detection (VMD)	-	-	-	-	-	-	-	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080 ,including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 and the frame rate:up to 5fps.
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 fps
 *13 : When using WW-SFV481/WW-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFV481, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WW-ASM200, WW-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WW-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

	Function	WV-SW175/SW172/ ST165/ST162	WV-SW174W *3	BB-HCM7 series	BB-HCM5 series	WJ-GXE500	WJ-GXE100
WJ-NX400 (V2.10) *20	MJPEG	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	no	-	no	-
	H.264	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes (ch1)	-
	PTZ	yes	yes	yes *1	yes *1	yes	yes
Motion detection (VMD)	yes	yes	-	-	yes	yes	
WJ-NX300 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	no	-	no	-
	H.264	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes (ch1)	-
	PTZ	yes	yes	yes *1	yes *1	yes	yes
Motion detection (VMD)	yes	yes	-	-	yes	yes	
WJ-NX200 (V2.00) *20	MJPEG	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	no	-	no	-
	H.264	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes (ch1)	-
	PTZ	yes	yes	yes *1	yes *1	yes	yes
Motion detection (VMD)	yes	yes	-	-	yes	yes	
WJ-NV300 (V1.90) *14	MJPEG	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	no	-	no	-
	H.264	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes (ch1)	-
	PTZ	yes	yes	yes *1	yes *1	yes	yes
Motion detection (VMD)	yes	yes	-	-	yes	yes	
WJ-NV200 (V2.60) *14	MJPEG	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	yes	-	yes	-
	H.264	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes (ch1)	-
	PTZ	yes	yes	yes *1	yes *1	yes	yes
Motion detection (VMD)	yes	yes	-	-	yes	yes	
WJ-ND400K (V5.70) *14	MJPEG	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	yes	-	yes	-
	H.264	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-
	Audio *8	yes	yes	yes	-	yes (ch1)	-
	PTZ	yes	yes	yes *1	yes *1	yes	yes
Motion detection (VMD)	yes	yes	-	-	yes	yes	
WJ-ND300A (V5.20) *4, *14 (Discontinued model)	MJPEG	[SC385]	[SC385]	yes	yes	yes	[GXE500 ch1]
	MPEG4	-	-	yes	-	yes	-
	H.264	[SC385]	[SC385]	yes	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-	-
	Audio	-	-	-	-	-	-
	PTZ	[SC385]	[SC385]	yes *1	yes *1	yes	[GXE500 ch1]
Motion detection (VMD)	-	-	-	-	-	-	
WJ-ND200 (V3.35) *4, *14 (Discontinued model)	MJPEG	[SC385]	[SC385]	yes	yes	yes	[GXE500 ch1]
	MPEG4	-	-	yes	-	yes	-
	H.264	[SC385]	[SC385]	yes	-	yes	[GXE500 ch1]
	H.265	-	-	-	-	-	-
	Audio *8*11	[SC385]	[SC385]	yes	-	yes (ch1)	-
	PTZ	[SC385]	[SC385]	yes *1	yes *1	yes	[GXE500 ch1]
Motion detection (VMD)	-	-	-	-	-	-	

[substitute model] : Register as a substitute model.
 *1 : Only for remote PTZ cameras.
 *2 : Support less than 1920x1080, including 1600x1200, 1920x1080 and 1600x1200 are not supported SD memory card backup and can be set the image quality:5-9 a
 *3 : Each recorder supports only wireline connection.
 *4 : Displaying 16:9 is not supported on a NDR browser.
 *7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.
 *8 : Supported G.726 and 32kbps.
 *11 : This function is supported only when playing back.
 *12 : Supported up to 30 fps
 *13 : When using WV-SFV481/WV-SFN480 with WJ-NV200, recording stops for about 10 seconds at the time of a screen change in a main monitor.
 *14 : Streams of H.264(3) and H.264(4) are not supported.
 *15 : When using over 6Mbps for bitrate, please use the "4K resolution" mode. SFV781L, SPV781L, SFN480 support will be only 1-8ch.
 *17 : The fish-eye dewarp function on the main monitor is supported.
 *18 : The fish-eye dewarp function is supported by using the management software(WV-ASM200, WV-ASC970).
 *19 : Supported maximum bitrate is 14Mbps.
 *20 : 3rd stream and 4th stream of H.264 are supported, only when using H.265 cameras
 *21 : Support less than 1280x720 for WV-X6511N
 *22 : Transmission format must be switched from H.265(Factory default) to H.264 by connecting from web browser

	Function	WV- X6531NJ/X6511NJ X6531NS	WV- SFV781L/SPV781L	WV-SUD638	WV-S1132/S1131	WV-S1531LN/S1531LTN S1531LNS	WV-S2131L/ S2131/S2130	WV-S2231	WV-S2531LN/S2531LTN	
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	
	H.264	yes	yes*18	yes	yes	yes	yes	yes	yes	
	H.265	yes	-	-	yes	yes	yes	yes	yes	
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	yes	-	yes	-	-	-	-	-	
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	
	WV-ASM200 (V5.10)	MJPEG	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	
	H.264	yes	yes*18	yes	yes	yes	yes	yes	yes	
	H.265	-	-	-	-	-	-	-	-	
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	
Direct connection to camera	PTZ	yes	-	yes	yes	yes	yes	yes	yes	
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	
	WV-ASM100 (Ver8.00) *5,*14	MJPEG	-	yes	-	-	-	-	-	
	MPEG4	-	-	-	-	-	-	-	-	
	H.264	-	yes	yes	-	-	-	-	-	
	H.265	-	-	-	-	-	-	-	-	
Direct connection to camera (Discontinued model)	Audio*8	-	yes	yes	-	-	-	-	-	
	PTZ	-	-	yes*21	-	-	-	-	-	
	RTP over HTTP	-	-	-	-	-	-	-	-	
	WV-ASC970 (Ver19.00)	MJPEG	yes	yes	yes	yes	yes	yes	yes	
	MPEG4	-	-	-	-	-	-	-	-	
	H.264	yes	yes*19	yes	yes	yes	yes	yes	yes	
Direct connection to camera	H.265	yes	-	-	yes	yes	yes	yes	-	
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes	
	PTZ	-	-	yes	-	-	-	-	-	
	RTP over HTTP	-	yes	yes	yes	yes	yes	yes	yes	
	WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	Unverified	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified
	MPEG4	-	-	-	-	-	-	-	-	
Direct connection to camera	H.264	Unverified	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	
	H.265	-	-	-	-	-	-	-	-	
	Audio*9	Unverified	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	
	PTZ	-	-	-	-	-	-	-	-	
	RTP over HTTP	-	-	-	-	-	-	-	-	
	BB-HNP17 (Ver4.05)	MJPEG	Unverified	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified
MPEG4		-	-	-	-	-	-	-	-	
H.264		Unverified	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	
H.265		-	-	-	-	-	-	-	-	
Audio*8		Unverified	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified	
PTZ		-	yes*22	yes	-	-	-	-	-	
RTP over HTTP	Unverified	yes	yes	Unverified	Unverified	Unverified	Unverified	Unverified		

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-SPN611/SPN631	WV-SPW631LT/SPW631L	WV-SFN611L/SFN631L/SFR611L/SFR631L/SFV611L/SFV631L/SFV631LT	WV-SPW611L/SPW611	WV-SPN531	WV-SPN531A	WV-SPW532L	WV-SPW531AL
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*23	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	-	yes
WV-ASM200 (V5.10)	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
Direct connection to camera	Audio*8	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASM100 (Ver8.00) *5,*14	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
WV-ASC970 (Ver19.00)	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*9	yes	yes	yes	yes	yes	yes	-	yes
	PTZ	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.05)	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	-	yes
Direct connection to camera	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-SFN531/SFR531/SFV531	WV-SW598/SW598A/SC588/SC588A	WV-S6530N	WV-S6131/S6111/S6130	WV-SW559/SF549/SF539/SP509	WV-SW558/SF548/SF538/SP508	WV-NW502S/NP502	WV-S4550L/S4550LM
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	yes
	Audio*23	yes	yes	yes	yes	yes	-	yes	yes
	PTZ	-	yes	yes	yes	-	-	-	yes
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	Unverified	Unverified	yes	yes	yes	Unverified
	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	Unverified	Unverified	yes	yes	yes	Unverified
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	Unverified	Unverified	yes	-	yes	Unverified
WV-ASM200 (V5.10)	PTZ	-	yes	Unverified	Unverified	-	-	-	Unverified
	RTP over HTTP	yes	yes	-	-	yes	yes	yes	Unverified
	MJPEG	yes	yes	-	-	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	-	-	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14	Audio*8	yes	yes	-	-	yes	-	yes	-
	PTZ	-	yes	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	Unverified	Unverified	yes	yes	yes	Unverified
	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	Unverified	Unverified	yes	yes	yes	Unverified
WV-ASC970 (Ver19.00)	H.265	-	-	Unverified	Unverified	-	-	-	Unverified
	Audio*8	yes	yes	Unverified	Unverified	yes	-	yes	Unverified
	PTZ	-	yes	-	-	-	-	-	Unverified
	RTP over HTTP	yes	yes	Unverified	Unverified	yes	yes	yes	Unverified
	MJPEG	yes	yes	Unverified	Unverified	yes	yes	yes	-
	MPEG4	-	-	-	-	-	-	yes	-
WJ-GXD400 (Ver2.21) *6,*14,*20	H.264	yes	yes	Unverified	Unverified	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-
	Audio*9	yes	yes	Unverified	Unverified	yes	-	yes	-
	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	Unverified	Unverified	yes	yes	yes	-
BB-HNP17 (Ver4.05)	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	Unverified	Unverified	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	Unverified	Unverified	yes	-	yes	-
	PTZ	-	yes	-	-	-	-	-	-
	RTP over HTTP	yes	yes	Unverified	Unverified	yes	yes	yes	-

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-94150	WV-SFV481/SFN480 *7	WV-SW458/SW458MA/ SF438/SF448E *7	WV-S4150/S4550L/S4550LM	WV-S1112/S1111	WV-S1511LN	WV-S2111L/S21110	WV-S2211
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes*17,*18	yes	yes*17,*18	yes	yes	yes	yes
	H.265	yes	-	-	-	yes	yes	yes	yes
	Audio*23	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	yes	yes	yes	yes	-	-	-	-
Direct connection to camera	RTP over HTTP	yes	yes	-	yes	yes	yes	yes	yes
	WV-ASM200 (V5.10)	MJPEG	Unverified	yes	yes	Unverified	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	Unverified	yes*17,*18	yes	Unverified	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	Unverified	yes	yes	Unverified	yes	yes	yes	yes
Direct connection to camera	PTZ	Unverified	yes	yes	Unverified	-	-	-	-
	RTP over HTTP	Unverified	yes	-	-	yes	yes	yes	yes
	WV-ASM100 (Ver8.00) *5,*14	MJPEG	-	-	-	-	-	-	-
	MPEG4	-	-	-	-	-	-	-	-
	H.264	-	-	-	-	-	-	-	-
	H.265	-	-	-	-	-	-	-	-
Direct connection to camera (Discontinued model)	Audio*8	-	-	-	-	-	-	-	-
	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	WV-ASC970 (Ver19.00)	MJPEG	Unverified	yes	yes	-	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	Unverified	yes*17,*19	yes	-	yes	yes	yes	yes
Direct connection to camera	H.265	Unverified	-	-	-	yes	yes	yes	yes
	Audio*8	Unverified	yes	yes	-	yes	yes	yes	yes
	PTZ	Unverified	yes	yes	-	-	-	-	-
	RTP over HTTP	Unverified	yes	-	-	yes	yes	yes	yes
	WJ-GXD400 (Ver2.21) *6,*14,*20	MJPEG	-	-	-	-	Unverified	Unverified	Unverified
	MPEG4	-	-	-	-	-	-	-	-
Direct connection to camera	H.264	-	-	-	-	Unverified	Unverified	Unverified	Unverified
	H.265	-	-	-	-	-	-	-	-
	Audio*9	-	-	-	-	Unverified	Unverified	Unverified	Unverified
	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	BB-HNP17 (Ver4.05)	MJPEG	-	yes	yes	Unverified	Unverified	Unverified	Unverified
Direct connection to camera	MPEG4	-	-	-	-	-	-	-	
	H.264	-	yes*16	yes	Unverified	Unverified	Unverified	Unverified	
	H.265	-	-	-	-	-	-	-	
	Audio*8	-	yes	yes	Unverified	Unverified	Unverified	Unverified	
	PTZ	-	yes	yes	-	-	-	-	
	RTP over HTTP	-	yes	yes	Unverified	Unverified	Unverified	Unverified	

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-S2511LN	WV-SPN310/SPN311/SPW311LH	WV-SPN310A/SPN311A	WV-SPW312L	WV-SPW311AL	WV-SFN311/SFN310/SFN311L/SFR311/SFR310/SFV311/SFV310	WV-SFN311A/SFN310A/SFR311A/SFR310A/SFV311A/SFV310A	WV-SW397/SW397A/SW397B/SC387/SC387A
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	-	-	-	-	-	-	-
	Audio*23	yes	yes	yes	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	-	yes	yes	yes	yes
Direct connection to camera	PTZ	-	-	-	-	-	-	-	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	-	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14	Audio*8	-	yes	yes	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	yes
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	-	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera (Discontinued model)	H.265	-	-	-	-	-	-	-	-
	Audio*8	-	yes	yes	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	yes
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
WV-ASC970 (Ver19.00)	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	yes	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	yes
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	Unverified	yes	yes	yes	yes	yes	yes	yes
WJ-GXD400 (Ver2.21) *6,*14,*20	MPEG4	-	-	-	-	-	-	-	-
	H.264	Unverified	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*9	Unverified	yes	yes	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.05)	MJPEG	Unverified	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	-	-	-	-
	H.264	Unverified	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	Unverified	yes	yes	-	yes	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	yes
RTP over HTTP	Unverified	yes	yes	yes	yes	yes	yes	yes	

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-SW396/SW395/ SC386/SC385/ SC384	WV-SW355/SW352/ SF346/SF342	WV- SF330 series SP300 series	WV-SW316L/SW316	WV-SW314	WV-SFV130(M)/ SFV110(M)	WV- SFN130/SFN110	WV- SW158/SF138
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	yes	yes	yes	yes	yes	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*23	yes	yes	yes	yes	-	yes	yes	yes
	PTZ	yes	-	-	-	-	-	-	-
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	yes	yes	yes	yes	yes	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	-	yes	yes	yes
Direct connection to camera	PTZ	yes	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	yes	yes	yes	yes	yes	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14	Audio*8	yes	yes	yes	yes	-	yes	yes	yes
	PTZ	yes	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	yes	yes	yes	yes	yes	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
Direct connection to camera (Discontinued model)	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	-	yes	yes	yes
	PTZ	yes	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	yes	yes	yes	yes	yes	-	-	-
WV-ASC970 (Ver19.00)	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	-	yes	yes	yes
	PTZ	yes	-	-	-	-	-	-	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes
	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
WJ-GXD400 (Ver2.21) *6,*14,*20	MPEG4	yes	yes	yes	yes	yes	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*9	yes	yes	yes	yes	-	yes	yes	yes
	PTZ	-	-	-	-	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	-	-
BB-HNP17 (Ver4.05)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	yes	yes	yes	yes	yes	-	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	yes	yes	yes	yes	-	yes	yes	yes
	PTZ	yes	-	-	-	-	-	-	-
RTP over HTTP	yes	yes	yes	yes	yes	yes	yes	yes	

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WV-SW155/SW155MA/SW152/SF135/SF132/SW115	WV-SP105/SP102	WV-SW175/SW172/ST165/ST162	WV-SW174W	BB-HCM7 series	BB-HCM5 series	WJ-GXE500	WJ-GXE100
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	-	-	yes	yes
	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*23	-	-	yes	yes	-	-	yes (ch1)	-
	PTZ	-	-	yes	yes	-	-	yes	yes
Direct connection to camera	RTP over HTTP	yes	yes	yes	yes	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	-	-	yes	yes
	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	-	-	yes	yes	-	-	yes (ch1)	-
Direct connection to camera	PTZ	-	-	yes	yes	-	-	yes	yes
	RTP over HTTP	yes	yes	yes	yes	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	-	-	yes	-
	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	-	-	yes	-
	H.265	-	-	-	-	-	-	-	-
WV-ASM100 (Ver8.00) *5,*14	Audio*8	-	-	yes	yes	-	-	yes (ch1)	-
	PTZ	-	-	yes	yes	-	-	yes	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	-	-	yes	yes
	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	-	-	yes	-
Direct connection to camera (Discontinued model)	H.265	-	-	-	-	-	-	-	-
	Audio*8	-	-	yes	yes	-	-	yes (ch1)	-
	PTZ	-	-	yes	yes	-	-	yes	-
	RTP over HTTP	-	-	-	-	-	-	-	-
	MJPEG	yes	yes	yes	yes	-	-	yes	yes
	MPEG4	-	-	-	-	-	-	yes	-
WV-ASC970 (Ver19.00)	H.264	yes	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	-	-	yes	yes	-	-	yes (ch1)	-
	PTZ	-	-	yes	yes	-	-	yes	yes
	RTP over HTTP	yes	yes	yes	yes	-	-	yes	yes
	MJPEG	yes	yes	yes	yes	-	-	yes	yes
WJ-GXD400 (Ver2.21) *6,*14,*20	MPEG4	-	-	-	-	-	-	yes	-
	H.264	yes	yes	yes	yes	-	-	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*9	-	-	yes	yes	-	-	yes (ch1)	-
	PTZ	-	-	yes	yes	-	-	-	-
	RTP over HTTP	-	-	-	-	-	-	yes	yes
BB-HNP17 (Ver4.05)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes
	MPEG4	-	-	-	-	yes	yes	yes	-
	H.264	yes	yes	yes	yes	yes	-	yes	yes
	H.265	-	-	-	-	-	-	-	-
	Audio*8	-	-	yes	yes	yes	yes	yes (ch1)	-
	PTZ	-	-	yes	yes	yes	yes *1	yes *1	yes
RTP over HTTP	yes	yes	yes	yes	-	-	yes	yes	

Discontinued model might have the function which doesn't work.

*1 : Only for remote PTZ cameras.

*5 : WV-ASM100 does not support displaying 16:9.

*6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps.

*7 : Support functions are different depending on the "Image capture mode". For details on "Image capture mode", please refer to the operating instructions.

*8 : Supported G.726.

*9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.

*14 : Streams of H.264(3) and H.264(4) are not supported.

*16 : When displaying H.264 streaming of 2992x2992 resolution, please use a 64 bit OS and 4GB or more memory.

*17 : The fish-eye dewarp function is supported.

*19 : Supported maximum bitrate is 14Mbps.

*20 : Supported maximum bitrate is 8Mbps. Supported maximum resolution is 1280x960.

*21 : WV-ASM200 does not support wiper function.

*22 : Pan/Tilt button can use, only when the capture mode is cropping of H.264 stream. Zoom button cannot use.

*23 : Supported G.726 or AAC.

	Function	WJ-NX400	WJ-NX300	WJ-NX200	WJ-NV300	WJ-NV200	WJ-ND400K	WJ-ND300A	WJ-ND200 (Discontinued model)	WJ- HD616/HD716	WJ-HD300 (Discontinued model)
WV-ASM300 (V1.30)	MJPEG	yes	yes	yes	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-
	H.264	yes	yes	yes	yes	yes	yes	yes	yes	yes	-
	H.265	yes	yes	yes	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*10	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	-	Playback(Receive)	Live/Playback(Receive)	-
	PTZ	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Via Recorder	VMD	yes	yes	yes	yes	yes	yes	-	-	yes	-
	RTP over HTTP	yes	yes	yes	yes	yes	yes	-	-	yes	-
	MJPEG	-	-	-	yes	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-
	H.264	-	-	-	yes	yes	yes	yes	yes	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
WV-ASM200 (V5.10)	Audio*8	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	Live/Playback(Receive)	-	Playback(Receive)	Live/Playback(Receive)	-
	PTZ	-	-	-	yes	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	yes	yes	yes	-	-	yes	-
	RTP over HTTP	-	-	-	yes	yes	yes	-	-	yes	-
	MJPEG	-	-	-	-	yes	yes	yes	yes	-	-
	MPEG4	-	-	-	-	yes	yes	yes	yes	-	-
	H.264	-	-	-	-	yes	yes	yes	yes	yes	-
WV-ASM100 (Ver8.00)	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*8	-	-	-	-	Live/Playback(Receive)	Live/Playback(Receive)	-	Playback(Receive)	Live/Playback(Receive)	-
	PTZ	-	-	-	-	yes	yes	yes	yes	yes	yes
	VMD	-	-	-	-	yes	yes	-	-	yes	-
	RTP over HTTP	-	-	-	-	yes	yes	-	-	yes	-
	(Discontinued model)	-	-	-	-	-	-	-	-	-	-
WV-ASM970 (Ver19.00)	MJPEG	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	-	-
	MPEG4	-	-	-	-	yes	yes	yes (Playback only)	yes (Playback only)	-	-
	H.264	yes	-	-	yes	yes	yes	yes (Playback only)	yes (Playback only)	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
	Audio*8	Live/Playback(Receive)	-	-	Live/Playback(Receive)	Playback(Receive)	Playback(Receive)	-	Playback(Receive)	Playback(Receive)	-
	PTZ	yes	-	-	yes	yes	yes	-	-	yes	yes
WJ-GXD400 (Ver2.21) *6	VMD	yes	-	-	yes	yes	yes	-	-	yes	-
	RTP over HTTP	yes	-	-	yes	yes	yes	-	-	yes	-
	MJPEG	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	-	-
	MPEG4	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	-	-
	H.264	-	-	-	-	-	yes	yes (Playback only)	yes (Playback only)	yes	-
	H.265	-	-	-	-	-	-	-	-	-	-
	Original	-	-	-	-	-	-	-	-	-	yes
WJ-GXD400 (Ver2.21) *6	Audio*9	-	-	-	-	-	Playback(Receive)	-	Playback(Receive)	Playback(Receive)	-
	PTZ	-	-	-	-	-	yes	-	-	yes	yes
	VMD	-	-	-	-	-	yes	-	-	yes	-
	RTP over HTTP	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-

Discontinued model might have the function which doesn't work.
 *6 : Supported resolutions of WJ-GXD400 are only 1280x960, VGA and QVGA. Supported maximum bitrate is 8Mbps
 *8 : Supported only G.726.
 *9 : Supported G.726 as an Audio and MPEG4/H.264 as a Video.
 *10 : Supported G.726 or AAC.